Preen®

GARDEN

WEED PREVENTER Plus PLANT FOOD

Controlador de malezas de jardín más alimento para plantas

STOP WEEDS* Before They Start!

Blocks Weeds* Up To 3 Months Guaranteed!

Covers 900 Sq. Ft.

ACTIVE INGREDIENT:	
Trifluralin	1.47%
OTHER INGREDIENTS:	98.53%
TOTAL	100.00%

*See Use Directions for complete list of treated weeds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for First Aid and additional Precautionary Statements.

Net Wt. 5.625 lbs. (2.55 kg)

Preen®
GARDEN

WEED PREVENTER Plus PLANT FOOD

Not for Use on Lawns

STOP WEEDS* Before They Start!

SEE INSIDE BOOKLET FOR COMPLETE DIRECTIONS FOR USE AND PLANT LISTINGS

Consulte el folleto en interior para vel el modo de empleo completo y listas de plantas

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Causes moderate eye irritation. Wear protective eyeware. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin or clothing. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

User Safety Recommendations

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

First Aid

IF IN EYES:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED:	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

Environmental Hazards

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply directly to water. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather will help to ensure that wind does not blow pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the garden will help to prevent run off to water bodies or drainage systems.

1-800-233-1067
www.preen.com

Preen® is a registered trademark of Lebanon Seaboard Corporation. (L) (D)
EPA Reg. No. 961-407 | EPA Est. No. 961-PA-01:961-IL-01
Superscript used is first letter of lot number.

*See Use Directions for complete list of treated weeds.

Manufactured by Lebanon Seaboard Corporation
1600 East Cumberland Street | Lebanon, PA 17042

0 88685 63902 9

PROOF OF PURCHASE | Comprobante de compra

Levante aquí para abrir | Presione para volver a cerrar • **LIFT HERE TO OPEN | PRESS TO RESEAL**

Killing Weeds vs. Weed Prevention

Pulling or spraying only eliminates weeds already above ground.

Preventing creates a weed barrier that stops weeds* from germinating.

Reapply product every 3 months. It's never too late or too early to apply Preen Garden Weed Preventer plus Plant Food! Use around listed flowers, vegetables, trees & shrubs.

*See Use Directions for complete list of treated weeds.

Scan the code to watch how Preen prevents weeds or visit: www.preen.com/preventweeds

9-12-9

Guaranteed Fertilizer Analysis

Total Nitrogen (N)..... 9%
9.0% Ammoniacal Nitrogen
Available Phosphate (P_2O_5)..... 12%
Soluble Potash (K_2O)..... 9%
Sulfur (S).....6.5%
6.5% Combined Sulfur (S)
Derived from: Ammonium Phosphate, Ammonium Sulfate, Muriate of Potash.
Chlorine (Cl) not more than..... 8.0%
Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

F699

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Causes moderate eye irritation. Wear protective eyeware. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin or clothing. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Refill Instructions

This container with applicator cap is reusable with Preen Garden Weed Preventer plus Plant Food. Refill the container with desired amount of this product and use as directed. When done, store or dispose this container as listed on the label.

Storage and Disposal

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store product in its original container in a cool, dry, locked place out of the reach of children and animals. **Pesticide Disposal and Container Handling:** Nonrefillable container. Do not reuse or refill this container except as described in the DIRECTIONS FOR USE (see Refill Instructions). **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

1-800-233-1067

www.preen.com

Preen® is a registered trademark of Lebanon Seaboard Corporation. (L) (D)
EPA Reg. No. 961-407 | EPA Est. No. 961-PA-01:961-IL-01
Superscript used is first letter of lot number.

Preen GARDEN

WEED PREVENTER Plus PLANT FOOD

Not for Use on Lawns

STOP WEEDS* Before They Start!

KEEP OUT OF REACH OF CHILDREN

CAUTION

See container label for First Aid and Additional Precautionary Statements
*See Use Directions for complete list of treated weeds.

ACTIVE INGREDIENT: Trifluralin	1.47%
OTHER INGREDIENTS:	98.53%
TOTAL	100.00%

The Preen Routine *Easy Steps to Weed Prevention*

Remove Existing Weeds

Sprinkle Product Evenly

Water Product Into Soil

Directions For Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Product Information

Preen Garden Weed Preventer plus Plant Food works all season long. One easy application prevents weeds up to 3 months. This product contains an all purpose fertilizer to promote beautiful color, blooms, foliage and strong root growth while helping to resist disease. This product can be used during the spring, summer or fall in flower and vegetable gardens, around ground covers, trees, and shrubs. Although this product will not kill existing weeds, it will prevent new listed weeds from sprouting–eliminating the need for difficult and time-consuming hand weeding. Without weeds, your valuable plants can grow larger and stronger. Your beds will stay neat all season long! There is no chance of overfeeding or burning your plants when used as directed.

PRECAUTIONS AND RESTRICTIONS

Not for use on plants being grown for sale or other commercial use, or for commercial seed production or for research purposes. For use on plants intended for aesthetic purposes, or climatic modifications and being grown in ornamental gardens.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Do not apply to Ajuga, Myrtle or Pachysandra until it is well established, as injury may result. Do not apply Preen Garden Weed Preventer plus Plant Food to muck soils or to soils containing more than 10% organic matter. Do not over-apply; injury may occur to subsequent crops which are sensitive to this product. Do not use with crops other than those listed on this label. **This product is not for use on lawns,** nor for use in enclosed areas, such as greenhouses. To prevent possible staining to unintended surfaces, ex.: concrete, stone walks, vinyl surfaces, etc., sweep up stray granules as soon as possible.

ENTRY RESTRICTIONS

Do not allow people or pets to enter the treated area until dusts have settled. If product is watered-in, do not enter or allow others to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

Annual Weeds Controlled

GRASSY WEEDS

Barley, Hare
Barnyardgrass (Watergrass)
Bluegrass, Annual
Brome
Cheat
Crabgrass
Cupgrass: Southwestern, Woolly
Fescue, Rattail
Foxtail
Guineagrass
Goosegrass
Johnsongrass (from seed)
Junglerice
Lovegrass
Oat, Wild
Panicum: Fall, Texas
Sandbur
Shattercane
Signalgrass (*Brachiaria*)
Sprangletop
Stinkgrass
Wildcane
Witchgrass

BROADLEAF WEEDS

Carelessweed
Carpetweed
Chickweed
Goosefoot
Henbit
Knotweed
Kochia
Lambsquarters
Nettle, Stinging
Pigweed
Puncturevine
(Western U.S. only)
Purslane
Pusley, Florida
Thistle, Russian

When To Apply

Apply Preen Garden Weed Preventer plus Plant Food in the spring, summer or fall around established plants and transplants. **Preen Garden Weed Preventer plus Plant Food should not be used on flower seeds.** It can be used after flowering plants have germinated and are 2-3 inches tall. Since it does not kill existing weeds, you must first remove any that have already begun to grow. By applying Preen Garden Weed Preventer plus Plant Food as early as possible, you can eliminate the need for hand weeding. Rain does not wash this product out of the soil. **For optimum weed control and plant feeding, reapply this product every 3 months.**

How To Apply

To avoid plant injury, do not apply Preen Garden Weed Preventer plus Plant Food when foliage is wet. When plants are dry, sprinkle this product on soil surface at rate given below for your specific planting situation. Once activated by watering or soil incorporation, it forms a weed control barrier in the top layer of soil, preventing weed seeds from germinating. Disturbance to the soil surface after activation may result in erratic weed control.

Applying Around Established Plants and Transplants

For flowers, roses, ground covers, ornamental grasses, shrubs, trees and listed vegetables at least 2 -3 inches tall (see special section for use on vegetables): sprinkle Preen Garden Weed Preventer plus Plant Food evenly over the entire soil surface, at the rate of 1 oz. per 10 sq. ft. (see picture on right), being sure to keep granules away from plant roots and foliage. Immediately water this product into soil surface. If watering-in is not convenient, lightly rake into soil surface. Always wash or brush off stray granules from plant foliage to avoid damage or discoloration.

Surface Application Rate Sprinkle granules at the density shown in this picture. (see picture below left)

Applying With Mulch

For best weed control, apply Preen Garden Weed Preventer plus Plant Food after spreading mulch on your flower and shrub beds. Sprinkle it on top of mulch at surface rate (see picture below left), being sure to keep granules away from plant foliage. Immediately water this product into mulch. If watering-in is not convenient, lightly rake into top layer of mulch. Always wash or brush off stray granules from plant foliage to avoid damage or discoloration.

For Use On Vegetables

First remove all existing weeds, then lightly rake to prepare a smooth soil surface. Uniformly mix Preen Garden Weed Preventer plus Plant Food into the top 1-2 inches of soil immediately after application, using care not to damage any emerged crops. Rate of application depends on type of soil. Apply at 1 lb. per 640 sq. ft. for heavy clay-type soils, at 1 lb. per 960 sq. ft. for medium loam soils, and at 1 lb. per 1280 sq. ft. for light sandy soils.

BEFORE Seeding: Broccoli, Brussels Sprouts, Cabbage, Carrots, Cauliflower, Celery, Collard, Black-Eyed Peas, Field Peas, Green Peas, Kale, Lentils, Lima Beans, Mustard Greens, Okra, Radish, Southern Peas (Cow Peas), Snap Beans, Turnip Greens.

AFTER Seeding or Transplanting: Cantaloupes, Cucumbers, Watermelons. Apply after plants have developed 5 or more leaves.

AFTER Planting: Potatoes - May be applied after planting, before or after emergence. Use care not to damage seed pieces in cultivating nor allow treated soil to contact emerged plant foliage.

BEFORE Transplanting: Celery, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Eggplant, Peppers, Onions, Tomatoes.

Perennial Vegetables: Asparagus - Apply prior to spear emergence of established plants.

This Preen Product Is Suggested For Use Around These Established Plants

BULBS, FLOWERS, GROUND COVERS & ORNAMENTAL GRASSES

Aaronsbeard
Alyssum
Arctotis
Aster (Perennial)
Aster, Stoke's
Baby's breath
Balsam
Beard tongue
Bee balm
Begonia
Bellflower
Black-eyed susan
Bleeding heart
Bunge
Calendula
Calliopsis
Cape weed
Carex, Variegated
Carnation
Carpet bugle (*Ajuga*)
Ceanothus
Centaurea, Velvet
Chrysanthemum
Coneflower, Purple
Coral bells
Coreopsis
Cornflower, Purple
Cosmos
Cotoneaster
Coyote bush, Dwarf
Crown vetch
Daffodil
Dahlia
Daisy: African, Painted, Shasta, Trailing African
Daylily
Descampsia
Dianthus
Dusty Miller
Fern, Asparagus
Fescue, Blue
Floss flower (*Ageratum*)
Forget-me-not
Four o'clock
Foxglove
Gaillardia
Gayfeather
Gazania
Geranium
Germander
Geum
Gladiolus (corms > 1" in diameter)
Golden glow
Grass: Beech, Dwarf Mondo, Eulalia, Fountain, Mascarene, Mondo, Pampas, Ribbon, Zoysia
Guara
Hakonechloa, Golden
Hollyhock
Hosta, Albo-marginata
Hyacinth
Ice plant: Largeleaf, Trailing, Trailing rosea, White
Impatiens
Iris, Bulbous
Ivy: Algerian, California, English, Needlepoint
Ixora
Jasmine: Angelwing,

Asaian
Lamb's ears
Lavander, English
Lily turf: Big blue, Green/creeping, Lilac beauty, Magestic, Silvery sunproof, Variegated liriope, White
Lily-of-the-nile
Lobelia
Lupine (*Lupinus*)
Marigold
Marigold, Cape (*Dimorphotheca*)
Morningglory
Myoporum
Narcissus
Nicotiana
Ozark sundrop
Periwinkle (*Vinca*)
Peter Pan, Dwarf
Petunia
Phlox
Pincushion flower (*Scabiosa*)
Plumbago, Dwarf
Poppy, California
Portulaca
Rockrose
Rose
Rudbeckia
Rupturewort
Salvia
Silver mound
Snapdragon
Snow-in-summer
Snow-on-the-mountain
Speedwell
Spurge, Japanese
St. John's wort
Statice
Stock
Stonecrop (*Sedum*)
Strawberry, Beach
Sunflower
Sweet alyssum
Sweet pea
Sweet sultan
Sweet William
Thrift
Tickseed
Tulip
Verbena
Wire plant
Wirevine, Creeping
Yarrow (*Achillea*)
Zinnia

SHRUBS

Abelia: Edward Goucher, Glossy
Acacia: Abyssinica, Prostrate, Shoestring
Andromeda, Japanese
Arborvitae: American, Aureus nana-dwarf golden, Emerald, Globosa-globe, Little giant-dwarf, Minima glauca-dwarf, Nigra-dark American, Pyramidalis-pyramid, Rheingold, Techny
Azalea
Bamboo: Compacta-dwarf, Harbour dwarf-heavenly, Heavenly, Nana-compacta-heavenly, Nana purpurea-heavenly, Woods dwarf heavenly
Barberry: Atropurea-redleaf Japanese, Aurea-golden Japanese, Crimson pygmy, Japanese, Mento, Rose glow, William Penn
Bottlebrush: Lemon, Weeping
Bougainvillea: Barbara Karst, California gold, Pink pixie, Scarlett O'Hara, Temple fire, Texas dawn
Boxwood: Common, Harlands, Japanese, Korean, Littleleaf
Broom: Hollandia-warminster, Lena-Scotch
Camellia: Japanese, Sasanqua
Cassia, Feathery
Century plant
Cherry: Carolina laurel, Dwarf pink flowering almond
Cinquefoil
Cleyera, Japanese
Cotoneaster: Bearberry, Cranberry, Himalayan, Praecox-early, Pyrenees, Rock, Zabel
Coyotebush
Cypress: Filifera-thread, Kosteri, Nana-dwarf Hinoki, Torulosa
Daphne, Fragrant
Deutzia
Dogwood: Baileyi red osier, Flaviramea-yellow-twig, Sibirica-Siberian
Elaeagnus
Euonymus: Canadale, Emerald'n gold, Silver king, Spreading, Sunspot, Variegated evergreen, Winged, Wintercreeper
Fern: Tassel, Japanese painted
Firethorn (*Pyracantha*)
Forsythia
Gardenia: August beauty, Mystery, Radican
Guava, Pineapple
Hawthorn, India
Heather: Cornish, Purple bell, Mediterranean pink, Spring torch scotch
Hibiscus, Ross Estey
Holly
Honeysuckle: Cape, Trumpet
Hopseed bush
Ixora
Jessamine, Carolina
Juniper
Lantana
Laurel: American Cherry, Mountain
Leaf: Copper, Salal/lemon
Leucothoe: Coast, Drooping
Lilac: Common, Chinese, Wild
Lily-of-the-Valley: Forest flame, Mountain fire, Snowdrift, Temple-bells, Valley rose, Valley valentine
Mahonia: Creeping, Leather leaf
Maple: Amur, Coral bark, Japanese, Dwarf Japanese
Mock orange
Myrtle: Crape, Wax
Oleander: Hardy red, Ruby lace
Osmanthus, Fortunes
Palm: Areca, Chinese fountain, Christmas, Pigmy date, Sago
Photinia, Fraser's
Pieris Japonica
Pine, Mugo-mugho
Pittosporum: Green, Japanese, Wheeler's dwarf
Plumbago
Privet
Red Cedar, Eastern
Rhaphiolepis: Charisma-Monruce, Enchantress-Moness, Roundleaf, Springtime-Monme
Rhododendron
Robira
Rose
Rose, Ramanas
Rose of Sharon: Heart, Red bird, Woodbridge
Sakaki
Silverberry
Skimmia: Japanese, Reeve's
Smoke Tree: Royal purple, Coral beauty, Eichholz
Spiraea: Anthony Waterer, Bridal wreath, Dolchia, False, Japanese alpine, Shirobana, Vanhoutte
Sumac, African
Summersweet
Sweetspire, Henry
Garnet holly leaf
Viburnum
Weigela
Willow
Woadwaxen
Woodbine: Flowering, Serotina
Xylosma
Yew: Anglojap, Plum, Upright Japanese
Yewpine
Yucca

TREES

Ash: Shamel, White
Birch: European white, Paper, River
Blackgum
Bottle tree
Carrot wood
Cherry,Yoshino flowering
Coolibah tree
Cottonwood
Cypress: Arizona, Bald, Filicoides-fernspray, Gracilis-slender Hinoki, Squarrosa-moss, Swara false
Dogwood: Cloud nine, Flowering, Kousa
Elm, Chinese
Eucalyptus: Mealy, Redgum, Red ironbark, Silver dollar
Ficus, Mini
Fir: Balsam, Douglas, White
Florida anise tree
Ginko-maidenhair tree
Hawthorn, Green
Hemlock: Canada, Eastern
Larch, Japanese
Linden
Locust: Black, Honey, Shademaster honey
Magnolia
Mahogany
Maple: Albus-flowering, Flame, Luteus-flowering, Norway, Red, Red Sunset, Roseus-flowering, Silver, Sugar, Tangerine-flowering, Vesuvius red-flowering
Mesquite, Chilean
Oak: Bear, Live, Pin, Red, Scarlet, Willow
Palm: Mexican fan, Parlor, Queen
Pine: Austrian, Beach, Bosnian, Bristlecone, Canary Island, Columnar Scotch, Eastern white, Eldarica, Japanese black, Loblolly, Monterey, Pumilio-shrubby swiss mountain, Red, Scotch, Shore
Planetree, London
Podocarpus
Redbud, Eastern
Red Cedar, Eastern
Sequoia, Giant
Sourwood
Spruce: Colorado, Dwarf Alberta, Dwarf globe blue, Glauca-Colorado blue, Hoopsii-Hoop's blue, Koster-Koster blue, Norway, Pendula-weeping Norway, Repens-spreading Norway, White
Sweetgum, American
Sycamore: American, California
Tab, Yellow
Toyon
Tuliptree
Willow

NONBEARING FRUIT AND NUT TREES AND PLANTS+

Almond
Apple
Apricot
Avocado
Banana
Blackberry
Blueberry
Carob
Cherry: Sweet, Sour
Chestnut, Chinese
Crabapple
Currant
Dewberry
Elderberry
Fig
Filbert
Gooseberry
Grape: American, European
Grapefruit
Kiwi
Lemon
Loganberry
Macadamia nut
Mulberry, White
Nectarine
Olive: Black, Russian
Orange
Peach
Pear
Pecan
Pistachio
Plum
Pomegranate
Prune
Raspberry
Tangelo
Tangerine
Walnut: Black, English

+Nonbearing fruit and nut trees and plants are defined as plants that will not bear fruit for at least one year after treatment.

Warranty

NOTE: To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Preen GARDEN

WEED PREVENTER Plus PLANT FOOD

STOP WEEDS* Before They Start!

No Apto Para Uso en Céspedes

9-12-9

Análisis De Fertilizante Garantizado

Nitrógeno (N) total	9%
9.0% de nitrógeno amoniacal	
Fosfato disponible (P_2O_5)	12%
Potasa soluble (K_2O)	9%
Sulfuro (S)	6.5%
de Sulfuro (S) combinado	
Derivado de: fosfato de amonio, sulfato de amonio, muriato de potasa.	
Cloro (Cl), no más de	8.0%

La información relacionada con los contenidos y los niveles de metales en este producto se encuentra disponible en Internet en http://www.regulatory-info-lebsea.com

F699

Matar Las Malas Hierbas Versus Prevención De Malas Hierbas

Tirar o pulverizar sólo elimina lasmalas hierbas* ya por encima del suelo.

Prevención crea una barrera queimpide que las malas hierbas* las malas hierbas germinen.

Reaplique producto cada 3 meses. Nunca es demasiado tarde o demasiado pronto para aplicar Jardín Preen Weed! Use alrededor de flores, verduras, árboles y arbustos.

*Vea las instrucciones de uso para la lista completa de las malezas tratadas.

Lea el código para ver cómo Preen evita las malas hierbas o visite:

http://www.preen.com/preventweeds

El rutina de Preen *sencillos pasos para prevención de malas hierbas*

Quite las malas hierbas existentes

Rocíe uniformemente producto

El agua del producto en el suelo

Declaraciones De Precaución

Riesgos para seres humanos y animales domésticos

PRECAUCIÓN

Provoca una irritación moderada de los ojos. Use gafas de protección. El producto es nocivo si se ingiere o se absorbe a través de la piel. Evite el contacto con los ojos, la piel o la ropa. Si el producto ingresa en la ropa, el usuario debe quitársela de inmediato. Luego, lavarse bien y colocarse ropa limpia. En algunas personas, el contacto prolongado o frecuente con la piel puede provocar reacciones alérgicas. Lávese las manos antes de comer, beber, masticar chicle, usar tabaco o usar el inodoro.

Recomendaciones De Seguridad Para El Usuario

- *Los usuarios deben lavarse las manos antes de comer, beber, masticar chicle, usar tabaco o usar el inodoro.*
- *Si el producto ingresa en la ropa, el usuario debe quitársela de inmediato. Luego, lavarse bien y colocarse ropa limpia.*

Primeros Auxilios

Si entra en contacto con los ojos	• Mantenga los ojos abiertos y enjuague lenta y suavemente con agua durante 15 a 20 minutos. Si lleva lentes de contacto puestos, quíteselos luego de los primeros 5 minutos, luego continúe enjuagando los ojos. • Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
Si se ingiere	• Llame de inmediato a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. • Si la persona puede tragar, haga que beba a tragos un vaso de agua. • No induzca el vómito, a menos que se lo indique un médico o el centro de control de envenenamientos. • Jamás administre nada por la boca a una persona que haya perdido el conocimiento.
Si está en la piel o en la ropa:	• Quítese la ropa contaminada. • Enjuague la piel inmediatamente con bastante agua por 15-20 minutos. • Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
Si se aspira	• Lleve la persona a un lugar con aire fresco. • Si la persona no respira, llame al 911 o a una ambulancia, luego administre respiración artificial, preferentemente boca a boca, si es posible. • Llame a un centro de control de envenenamientos o a un médico para recibir más instrucciones de tratamiento.

Cuando llame a un centro de control de envenenamientos o a un médico, o busque tratamiento, tenga a mano el envase o la etiqueta del producto. Para obtener información sobre emergencias médicas, llame al (888) 208-1368.

Riesgos Ambientales

Este pesticida es extremadamente tóxico para la vida acuática de agua dulce, peces de estuario e invertebrados acuáticos, incluidos camarones y ostras. No lo aplique directamente en el agua. No lo aplique de manera que pueda contaminar canales, lagos, arroyos, charcos, pantanos o estuarios debido a la dispersión por corrientes de aire. No contamine el agua al eliminar el agua con el que limpió o enjuagó el producto. Para proteger el medio ambiente, no permita que el pesticida entre o escurra hacia desagües pluviales, zanjas de desagüe, alcantarillas ni aguas superficiales. Aplicar este producto en un clima tranquilo ayudará a asegurar que el viento no sople el pesticida fuera del área de tratamiento. Barra el producto que caiga sobre una entrada de garaje, acera o calle llevándolo de vuelta al área tratada del jardín para evitar que se escurra hacia aguas superficiales o sistemas de drenaje.

Instrucciones De Uso

Se considera una violación a la Ley Federal usar este producto con fines que no sean los indicados en la etiqueta.

Información Del Producto

El controlador de malezas de jardín más alimento para plantas Preen funciona durante toda la temporada. Una aplicación sencilla evita el crecimiento de malezas por hasta 3 meses. Este producto contiene un fertilizante multipropósito que promueve un colorido, floración y follaje bellos y el crecimiento de una raíz fuerte, al mismo tiempo que ayuda a resistir enfermedades. Este producto puede utilizarse durante la primavera, el verano o el otoño en jardines de flores y huertos, alrededor de cubiertas vegetales, árboles y arbustos. Aunque este producto no mata las malezas existentes, evitará la germinación de nuevas malezas mencionadas, lo que elimina la dificultad y la pérdida de tiempo de desmalezar a mano. Sin malezas, sus valiosas plantas podrán crecer más grandes y fuertes. Sus macizos se mantendrán arreglados durante toda la temporada
No existe la posibilidad de sobrealimentar o quemar sus plantas cuando se utiliza siguiendo las instrucciones.

PRECAUCIONES Y RESTRICCIONES

No lo use en plantas que se hayan cultivado para la venta u otro uso comercial, para la producción comercial de semillas ni para fines de investigación.

Tampoco lo utilice en plantas destinadas para fines estéticos o modificaciones climáticas y que se estén cultivando en jardines ornamentales.

No aplique el producto de ninguna manera en que pueda entrar en contacto con personas o mascotas, ya sea directa o indirectamente. Mantenga a las personas y mascotas fuera del área durante la aplicación.

No aplique en ajugas, mirtos ni diamantes hasta que estén bien establecidos, ya que podría producir daños. No aplique el controlador de malezas de jardines más alimento para plantas Preen en suelos estercolados o en suelos que contengan más de un 10% de materia orgánica. No aplique de manera excesiva, ya que puede producir daños a los cultivos posteriores que sean sensibles a este producto. No use con cultivos distintos a los que se mencionan en esta etiqueta. Este producto no se debe usar en céspedes ni en áreas cerradas, como invernaderos. Para evitar manchar accidentalmente superficies como concreto, caminos de piedra, superficies de vinilo, etc., barra los gránulos que queden dispersos lo antes posible.

RESTRICCIONES DE INGRESO

No permita que las personas o mascotas ingresen al área tratada hasta que el polvo se haya asentado. Si se va a regar el producto, no ingrese ni permita que otros ingresen a las áreas tratadas (excepto quienes deben regar el producto) hasta que el riego esté completo y la superficie esté seca.

Malezas Anuales Controladas

MALEZAS HERBOSAS	**Bromo secalino**	**Cola de zorro**	**Arrocillo silvestre**	**Sorgo**	**Caña brava**
Cebada silvestre	**Digitaria**	**Zacate Guinea**	**Amor seco**	**Pasto barrera** (Brachiaria)	**Zacate brujo**
Capín arroz (zacate de agua)	**Eriochloa:** Del sudoeste, villosa	**Pata de gallina**	**Avena silvestre**	**Leptochloa**	
Zacate azul, anual	**Festuca, cola de ratón**	**Césped**	**Panicum:** De otoño, de Texas	**Zacate apestoso**	
Bromo		**Johnson** (de semilla)	**Rosetilla**		
MALEZAS DE HOJA ANCHA	**Pamplina**	**Lengua de pájaro**	**Cenizo**	**Abrojo** (sólo en el oeste de EE.UU.)	**Ipecacuana de Florida**
Quintonil tropical	**Quenopodio**	**Pinillo**	**Ortiga romana**	**Verdolaga**	**Cardo ruso**
Culantrillo	**Ortiga muerta**		**Bledo**		

Cúando Aplicar

Aplique el controlador de malezas de jardín más alimento para plantas Preen en la primavera, el verano o el otoño alrededor de plantas establecidas y trasplantadas. El controlador de malezas de jardín más alimento para plantas Preen no se debe usar en semillas de flores. Se puede usar después de que las plantas en floración hayan germinado y tengan de 5,08 a 7,62 cm de alto. Dado que no mata las malezas existentes, deberá quitar primero cualquier maleza que haya comenzado a crecer. Al aplicar el controlador de malezas de jardín más alimento para plantas Preen lo antes posible, podrá eliminar la necesidad de desmalezar manualmente. La lluvia no elimina este producto del suelo. Para un control de malezas y una alimentación de plantas óptimos, vuelva a aplicar este producto cada 3 meses.

Cómo Aplicar

Para evitar daños en la planta, no aplique el controlador de malezas de jardín más alimento para plantas Preen cuando el follaje esté mojado. Cuando las plantas estén secas, rocíe este producto en la superficie del suelo según las dosis que se indican más abajo para su situación de plantado específica. Una vez que se haya activado mediante el riego o su incorporación al suelo, forma una barrera de control contra malezas en la capa superior del suelo, lo que evita que las semillas de malezas germinen. La alteración de la superficie del suelo después de la activación puede perjudicar el resultado del control de maleza.

Aplicación Alrededor De Plantas Establecidas Y Trasplantadas

Para flores, rosas, cubiertas vegetales, céspedes ornamentales, arbustos, árboles y hortalizas, de al menos 5,08 cm a 7,62 cm de alto (consulte la sección especial para uso en hortalizas): Rocíe controlador de malezas de jardín más alimento para plantas Preen de manera uniforme sobre toda la superficie del suelo en una dosis de 29,57 cc por cada 0,93 m² (consulte la imagen a la derecha), asegurándose de mantener los gránulos alejados de las raíces y el follaje de las plantas. Riegue de inmediato el producto para que penetre en el suelo. Si el riego no funciona, rastrille levemente la superficie del suelo. Lave o limpie siempre los gránulos sueltos del follaje de la planta para evitar daños o decoloración.

Dosis de aplicación en la superficie: *Espolvoree los gránulos a la densidad se muestra en esta imagen.*

Aplicación Con Compuesto Orgánico

Para obtener el mejor control de las malezas, recomendamos aplicar el controlador de malezas de jardín más alimento para plantas Preen después de esparcir compuesto orgánico en los macizos de flores y arbustos. Rocíe el producto sobre el compuesto orgánico según la dosis para la superficie (consulte la imagen de arriba), asegurándose de mantener los gránulos alejados del follaje de las plantas. Riegue de inmediato el producto para que penetre en el compuesto orgánico. Si el riego no funciona, rastrille levemente la capa superior del compuesto orgánico. Lave o limpie siempre los gránulos sueltos del follaje de la planta para evitar daños o decoloración.

Para uso en hortalizas

Primero, retire todas las malezas existentes y luego rastrille levemente para preparar una superficie de suelo pareja. Mezcle de forma pareja el controlador de malezas de jardín más alimento para plantas Preen en los 2,54 cm a 5,08 cm superiores del suelo inmediatamente después de la aplicación, teniendo cuidado de no dañar los cultivos que hayan brotado. La dosis de aplicación depende del tipo de suelo. Aplique 453,59 g por cada 59,46 m² para suelos muy arcillosos, 453,59 g por cada 89,19 m² para suelos con un contenido de arcilla medio y 453,59 g por cada 118,92 m² para suelos arenosos livianos.

ANTES de sembrar: *Brócoli, repollitos de Bruselas, repollo, zanahorias, coliflor, apio, berzas, alubias, arvejas de campo, arvejas, col rizada, lentejas, judías de lima, mostaza parda, quingombó, rábanos, arvejas del sur (caupí), ejotes, hojas de nabo.*

DESPUÉS de sembrar o trasplantar: *Melones, pepinos, sandías. Aplique después de que las plantas hayan desarrollado 5 o más hojas.*

DESPUÉS de plantar: *Papas: Se puede aplicar después de plantar, antes o después de que la planta haya brotado. Tenga cuidado de no dañar las semillas al cultivarlas ni permita que el suelo tratado entre en contacto con el follaje de la planta que brotó.*

ANTES de trasplantar: *Apio, brócoli, repollitos de Bruselas, repollo, coliflor, berenjena, pimientos, cebollas, tomates.*

Hortalizas perennes: Espárragos: *Aplicar antes de que la planta brote.*

Se sugiere el uso de este producto Preen alrededor de estas plantas establecidas

BULBOS, FLORES, CUBIERTAS VEGETALES Y CÉSPEDES ORNAMENTALES:

Aliso	**Búgula (Ajuga)**	africana rastrera	más de 2,54 cm (1") de diámetro)	**Delosperma:** De hoja grande, rastrera, rastrera rósea, blanca
Artotis	**Ceanoto**	**Hemerocalis**	**Rudbeckia ampla**	**Alegría de la casa**
Áster (perenne)	**Centaurea gymnocarpa**	**Descampsia**	**Césped:** Haya, Mondo enano, Eulalia, Fountain, Mascarene, Mondo,de la Pampa, Falaris, de Zoysia	**Lirio bulboso**
Stokesia	**Crisantemo**	**Clavel**		**Hiedra:** De Argelia, de California, inglesa, punta de aguja
Aliento de bebé	**Equinácea púrpura**	**Senecio cineraria**		**Ixora**
Bálsamo	**Heuchera**	**Esparraguera**		**Jazmín:** Angelwing, Asaian
Penstemon	**Coreopsis**	**Festuca azul**		**Oreja de conejo**
Bergamota silvestre	**Aciano púrpura**	**Agerato (Agerantum)**		**Lavanda inglesa**
Begonia	**Cosmos**	**Nomeolvides**		**Liriope:** Big blue, Green/rastrero, Lila bella,
Campanilla	**Cotoneaster**	**Dondiego**		
Rudbeckia	**Arbusto coyote enano**	**Dedalera**		
Dicentra	**Coronilla varia**	**Gallardía**		
Pistacho chino	**Narciso**	**Liatris**		
Caléndula	**Dalia**	**Gazania**		
Calliopsis	**Margarita:** Africana, pintada, Shasta,	**Geranio**		
Gazania amarilla		**Camedrio**		
Cárex variegado		**Hierba del clavo**		
Clavel		**Gladiolo** (bulbo de		
		albo-marginata		
		Jacinto		

Magestic, Silvery sunproof, liriope variegado, blanco
Azucena del Nilo
Lobelia
Lupino (Lupinus)
Maravilla
Maravilla del Cabo (Dimorphotheca)
Dondiego de día

Mioporo
Narciso
Tabaco ornamental
Onagra
Pervinca (Vinca)
Peter Pan enana
Petunia
Flox
Viuda (escabiosa)
Celestina enana
Amapola California

Portulaca
Jara
Rosa
Rudbeckia
Herniaria
Salvia
Ajenjo
Cabeza de dragón
Cerastio
Nieve en la montaña
Verónica

Diamante
Hierba de San Juan
Estátice
Alhelí
Uva de gato (Sedo)
Fresa Beach
Girasol
Aliso dulce
Guisante de olor
Centaurea moschata

Clavel del poeta
Armería
Coreopsis
Tulipán
Verbena
Muehlenbeckia
Enredadera de alambre
Milenrama (Aquilea)
Zinia

ARBUSTOS

Abelia: Edward Goucher, Glossy
Acacia: Abisinia, Postrada, Shoestring
Andrómeda japonesa
Tuya: Americana, Aureus nana-golden enana, Emerald, Globosa, Little giant-enana, Minima glauca-enana, Nigra-dark Americana, Pyramidalispyramid, Rheingold, Techny
Azalea
Bambú: Compacto enana,Divino enano, Divino, divino compacto enano, divino púrpura enano, divino Woods enano
Agracejo rojo: japonés atropurpurea, japonés aurea golden, Crimson enano, japonés, Mento, Rose glow, William Penn
Limpiatubos: Lemon, llorón
Bugambilia: Barbara Karst, California gold, Pink pixie, Scarlett O'Hara, Temple fire, Texas dawn
Boj: Común, Harlands, japonés, coreano, Littleleaf
Retama: Hollandia-warminster, Lena-Scotch
Camelia: Japonesa Sasanqua
Casia plumosa
Agave americano
Cerezo: Carolina laurel, pink flowering enano almond
Cincoenrama
Cleyera japonesa
Cotoneaster: Bearberry, Cranberry, de los Himalayas, Praecox-early, de los Pirineos, Rock, Zabel
Arbusto coyote
Ciprés: Filifera-thread, Kosteri, Hinoki enano, Torulosa
Dafne olorosa
Deucia
Cornejo: Baileyi red osier, Flaviramea-yello twig Siberiano
Eleagno
Evónimo: Canadale, Emerald'n gold, Silver king, rastrero, Sunspot, perenne variegado, Winged, Bonetero rastrero
Helecho: Tassel, japonés pintado
Espino de fuego (Piracanta)
Forsitia
Gardenia: August beauty, Mystery, Radican Feijoa
Espino indio
Brezo: Cornish, Purple bell, Mediterranean pink, Spring torch scotch
Hibisco Ross Estey
Acebo
Lonicera: Del Cabo, Trumpet
Dodonea
Ixora
Jazmín de Carolina
Junípero
Lantana
Laurel: Cerezo americano, de montaña
Hoja: de cobre, Salal/lemon
Leucothoe: Coast, Drooping
Lila: Común, china, Silvestre
Azucena del valle: Forest flame, Mountain fire, Snowdrift, Templebells, Valley rose, Valley valentine
Mahonia: rastrera, hoja de cuero
Arce: Amur, Coral bark japonés, japonés enano
Celinda
Mirto: Árbol de Júpiter, de cera
Adelfa: Hardy red, Ruby lace
Osmanthus fortunei
Palma: Areca, Chinese fountain, Christmas, Pigmy date, Sago
Fotinia de Fraser
Andrómeda japonesa
Pino Mugo
Pitosporo: Verde, japonés, enano de Wheeler
Celestina
Aligustre
Cedro rojo oriental
Rhaphiolepis: Charisma-Monruce, Enchantress-Moness, de hoja redonda, Springtime-Monme
Rododendro
Robira
Rosa
Rosa Ramanas
Rosa de Siria: Heart, Red Bird, Woodbridge
Sakaki
Eleagno
Esquimia: japonesa, Reeve's
Árbol del humo: Royal purple
Espirea: Anthony Waterer, Coral beauty, Eichholz Bridal wreath, Dolchia, falsa, alpina japonesa, Shirobana, Vanhoutte
Zumaque africano
Clethra alnifolia
Itea Henry Garnet hoja de acebo
Viburno
Weigela
Willow
Genista
Parra virgen: En floración
Serotina
Espina corona
Tejo: Anglojaponés, Plum, japonés erguido
Tejo chino
Yuca

ARBUSTOS

Fresno: Shamel, blanco
Abedul: Europeo blanco, de papel, de río
Tupelo
Árbol botella
Styphelia Richei
Cerezo Yoshino en floración
Coolabah
Álamo
Ciprés: Arizona, calvo, Helecho Filicoides, Hinoki delgado Gracilis, Squarrosa-moss, Swara falso
Cornejo: Cloud nine, en floración, Kousa
Olmo chino
Eucalipto: Mealy, Redgum, Red ironbark, Silver dollar
Ficus miniatura
Abeto: Balsam, Douglas, blanco
Anís estrellado americano
Ginkgo
Espino verde
Abeto Hemlock: Del Canadá, oriental
Alerce japonés
Tilo
Robinia: Negra, Honey, Shademaster honey
Magnolia
Caoba
Arce: Blanco en floración, Flame, de floración amarilla, de Noruega, rojo, Red Sunset, de floración rosada, Silver, Sugar, de floración naranja, Vesuvius de floración roja
Mezquite chileno
Roble: Bear, Live, Pin, Rojo, Scarlet, Willow
Palmera: Mexican fan, Parlor, Queen
Pino: Austríaco, de playa, Bosnio, Bristlecone, de las Canarias, Columnar escocés, blanco oriental, Eldarica, negro japonés, de incienso, Monterey, Pumilioshrubby swiss mountain, rojo, escocés, Shore
Plátano de Londres
Podocarpo
Árbol del amor oriental
Cedro rojo oriental
Secoya gigante
Oxydendrum arboreum
Falso abeto: de Colorado, de Alberta enano, Golbe Blue enano, azul de Colorado, azul Hoopsii-Hoop's, azul Koster-Koster, de Noruega llorón de Noruega rastrero de Noruega blanco
Liquidámbar americano
Plátano de sombra: Americano, de California
Tab amarillo
Toyon
Tulipanero
Willow

ÁRBOLES Y PLANTAS QUE NO PRODUCEN FRUTOS O FRUTOS SECOS+:

Almendro
Manzano
Albaricoquero
Aguacate
Banano
Moral negro
Arándano azul
Algarrobo
Cerezo: Dulce, agrio
Castaño chino
Manzano silvestre
Grosellero
Zarza
Saúco rojo
Higuera
Avellano
Grosellero espinoso
Parra: Americana, europea
Pomelo
Kiwi
Limonero
Frambueso de Logan
Nogal de Macadamia
Moral blanco
Nectarino
Olivo: Negro, ruso
Naranjo
Melocotonero
Peral
Nogal Pecan
Pistacho
Ciruelo
Granado
Ciruelo
Frambueso
Tangelo
Mandarino
Nogal: Negro, inglés
Mandarino
Nogal: Negro, inglés

+Los árboles y plantas que no producen frutos ni frutos secos se definen como plantas que no producirán frutos por al menos un año después del tratamiento.

Almacenamiento y eliminación
No contamine el agua, los alimentos o el forraje al almacenar o eliminar el producto.
Almacenamiento del pesticida: *Almacene el producto en su envase original en un lugar fresco, seco, seguro y fuera del alcance de los niños y animales.* ***Eliminación del pesticida y manipulación del envase:*** *El envase no se puede rellenar. No vuelva a usar ni llenar este envase.* ***Si está vacío:*** *Colóquelo en la basura o, si está disponible, ofrézcalo para reciclaje.* ***Si está parcialmente lleno:*** *Llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminar el producto. Nunca coloque productos que no utiliza debajo de ningún drenaje externo o interno.*

Garantía

NOTA En la medida compatible con la ley aplicable, el comprador asume toda la responsabilidad por la seguridad y el rendimiento si este producto no se utiliza de acuerdo con las instrucciones.

Mantenga alejado del alcance de los niños

PRECAUCION

• Bloquea la maleza* hasta 3 meses, garantizado.
Cubre 83,6 m²
**Consulte las instrucciones de uso para ver una lista completa de las malezas tratadas.*

Peso Neto: 2,55 kg (5.625 lbs.)

Preen® es una marca registrada de Lebanon Seaboard Corporation.

INGREDIENTES ACTIVOS:
Trifluralina 1,47%
OTROS INGREDIENTES . . 98,53%
TOTAL 100,00%

CAS No. 1582-09-8
EPA Reg. No.961-407

(L) (D)
EPA Est. No. 961-PA-01:961-IL-01
El superíndice usado es la primera letra del número de lote.

Manufactured by | *Fabricado por:*
Lebanon Seaboard Corporation
1600 East Cumberland Street
Lebanon, PA 17042